

Digital duplicator


DD 5450

RICOH
imagine. change.

☒ Print ☒ Copy ☒ Scan



DD 5450

 A3
130 ppm
A4
150 ppm
B/W

User-friendly & high-speed digital duplicator for higher business efficiency

The DD 5450 is the next-generation digital duplicator that helps increase efficiency while offering simple operability. The high-speed machine prints up to 150 ppm (A4 and smaller) and is equipped with a full-colour LCD touch panel. Moreover, it has a system to feed and deliver up to as many as 1,500 sheets in a stable manner. This duplicator reduces both workload and stress while at the same time being cost-effective.

- 600 x 300 dpi A3 and A4 print
- Print Preview to avoid master making errors
- IC-chip to monitor ink level
- Maximum 25-up printing (custom) to save prints
- Print directly from USB, PC or network with an extra option



User-friendly, effective and high performance

Easy-to-use large-sized full-colour panel

The large 5.7-inch control panel indicates the operation menu and gives guidance to both new and experienced users in an easy-to-understand manner. It also shows error messages and information about supplies and consumables in an intelligible fashion.



Paper feeding customizable for your workplace

The DD 5450 has a system to feed and deliver up to as many as 1,500 sheets, and meets needs for voluminous outputs. Further, the machine provides the paper alignment and selection functions. This improved paper feeding quality strongly supports users in performing their business operations.



Output of 150 ppm* for higher operation and efficiency

The printing speed is 100 ppm in the standard mode and can be increased to 130 ppm in the speedy mode and to 150 ppm* in the top-speed mode. Give it a try to see for yourself just how fast this highly productive digital duplicator really is.

*For A4 and smaller sheets. For sheets larger than A4, the speed will be up to 130 ppm.

DD 5450

MAIN SPECIFICATIONS

GENERAL

Configuration:	Desktop
Print speed:	A4: 150 pages per minute A3: 130 pages per minute
Resolution:	Scanning: 300 x 600 dpi Master making: 300 x 600 dpi
Original type:	Sheet, Book
Original size:	Exposure glass cover: 297 x 432 mm ADF: Minimum (100 x 148 mm), Maximum (297 x 432 mm)
Image position:	Vertical: +/- 15 mm Horizontal: +/- 10 mm
Reproduction ratio:	163%, 141%, 122%, 115%, 93%, 86%, 81%, 71%, 61%
Zoom:	From 50% to 500% in % step
Enhanced features:	Combine, Image rotation, Colour printing (By replacing colour drum), Book shadow erasure, Economy (ink- save) mode, Confidential safeguard, Master re-make, Prints per set/Prints per document program, Auto shut-off, Master remain monitor, Ink level detection
Image mode:	Grayscale, Color, Black & White, High Contrast, Low Contrast, Auto, Off
Printing area:	A3 drum: 290 x 423 mm A4 drum: 290 x 207 mm
Dimensions (W x D x H):	1,401 x 688 x 715 mm
Weight:	102 kg
Power source:	100 - 240 V, 50/60 Hz

PAPER HANDLING

Paper feed table capacity:	1,500 sheets
Paper delivery table capacity:	1,500 sheets
Paper weight:	45 - 210 g/m ²

ECOLOGY

Power consumption: Maximum: 200 W
Operating power: 160 W
TEC (Typical Electricity Consumption): 2.23 kWh

OPTIONS

Platen cover, Cabinet, Printer unit, Network controller, A4 drum, A3 drum, USB Slot

CONSUMABLES

Master: A3: 220 masters/roll
Ink: Black ink: 1,000 ml/cartridge
Colour ink: 1,000 ml/cartridge

For availability of models, options and software, please consult your local supplier.

RICOH
imagine. change.
www.neko.nl